

Appendix 1:


Measurement properties of patient-reported outcome measures (PROMs) in hyperhidrosis: a systematic review

Michaela Gabes M.Sc., Helge Knüttel PhD, Gesina Kann, Christina Tischer, Christian J. Apfelbacher PhD

Search strategies

Search structure

Visualization of search structure generated with 2dsearch (<https://app.2dsearch.com/>).



EMBASE

Database	
Embase 1974 to 2021 June 10 (oemezd)	
Platform	
Ovid	
Temporal coverage of Database	
1974–2021	
Date filter	
No filter	
Standard search filters	
See text.	
Other limits	
Language: English OR French OR German OR Italian	
Date of search	
2021-06-11	
Peer review of search strategy	
No	
Number of records (before deduplication)	
1837	
File(s) with the search strategy/search history as exported from the platform	
EMBASE_2021-06-11_search-history.txt	
File with the database accession numbers of the records found	
EMBASE_AN.txt	
The number of accession numbers in this file (1861) is larger than the number of records found on 2021-06-11. It is the cumulative result of searches in 2020 and 2021. When running the last update search documented here, some records found earlier were not found again. Indexing might have changed or records were no longer present in the database.	

Search history

Embase <1974 to 2021 June 10>

#	Search string	Records	Remarks
1	hyperhidrosis/ or myokymia/ or night sweat/ or hyperhidrosis.ti,ab,kw. or hyperhidroses.ti,ab,kw. or hyperhydrosis.ti,ab,kw. or hyperhydroses.ti,ab,kw. or hyperperspiration.ti,ab,kw. or hyperidrosis.ti,ab,kw. or hyperydrosis.ti,ab,kw. or polyhidrosis.ti,ab,kw. or polyhydrosis.ti,ab,kw. or excessive sweating.ti,ab,kw. or (primary HH or secondary hh).ti,ab,kw. or (sweat* adj3 disorder*).ti,ab,kw. or night sweat*.ti,ab,kw. or nocturnal sweat*.ti,ab,kw. or nocturnal diaphoresis.ti,ab,kw. or gustatory sweating.ti,ab,kw. or auriculotemporal syndrome*.ti,ab,kw. or auriculotemporal nerve syndrome*.ti,ab,kw. or baillarger syndrome*.ti,ab,kw. or ((frey or frey*) adj1 syndrome*).ti,ab,kw. or salivosudoriparous syndrome*.ti,ab,kw. or (Isaac* adj1 Syndrome*).ti,ab,kw. or Myokymia*.ti,ab,kw. or (Continuous Muscle Activity adj1 Syndrome*).ti,ab,kw. or Gamstorp Wohlfart Syndrome*.ti,ab,kw. or Neuromyotonia.ti,ab,kw. or Quantal Squander.ti,ab,kw. or Pseudomyotonia.ti,ab,kw. or Harlequin syndrome*.ti,ab,kw. or Crisponi syndrome*.ti,ab,kw. or Sohar-Crisponi syndrome*.ti,ab,kw. or CNTF receptor-related disorder*.ti,ab,kw. or Cold-induced sweating syndrome*.ti,ab,kw. or ((exp facial nerve injury/ or exp taste/ or exp taste disorder/ or gustatory.ti,ab,kw.) and (exp sweat/ or exp sweat gland/ or exp sweating/ or sweat*.ti,ab,kw.))	25930	A: Target population - Hyperhidrosis
2	"quality of life"/ or (HR-PRO or HRPRO or qol or QL or hrql or hrqol).ti,ab,kw. or (quality adj2 (life or living)).ti,ab,kw. or "daily life activity"/ or (activit* adj2 (daily adj (life or living))).ti,ab,kw. or "adl".ti,ab,kw. or "chronic limitation o# activity".ti,ab,kw. or "self care".ti,ab,kw. or "health status"/ or (health adj2 (status or state or level* or index* or indices or profile*)).ti,ab,kw. or "patient-reported outcome"/ or (proms or proms or pro or pros).ti,ab,kw. or ((patient or self or carer or proxy) adj3 (appraisal* or appraised or report or reported or reporting or rated or rating or ratings or based or assessed or assessment or assessments)).ti,ab,kw. or	2315389	B: Construct - Quality of Life

	((disability or function or functional or functions or subjective or utility or utilities or wellbeing or well being) adj3 (outcome or outcomes or index or indices or instrument or instruments or measure or measures or questionnaire or questionnaires or profile or profiles or scale or scales or score or scores or status or survey or surveys)).ti,ab,kw. or (satisfaction or emotions or life-impact or sexual-impact or functioning or well-being).ti,ab,kw.		
3	exp instrumentation/ or exp validation study/ or exp reproducibility/ or reproducib\$.mp. or exp psychometry/ or psychometr\$.mp. or clinimetr*.mp. or clinometr\$.mp. or exp observer variation/ or observer variation.mp. or exp discriminant analysis/ or exp reliability/ or reliab\$.mp. or exp Validity/ or valid\$.mp. or coefficient.mp. or internal consistency.mp. or (cronbach\$ and (alpha or alphas)).mp. or item correlation.mp. or item correlations.mp. or item selection.mp. or item selections.mp. or item reduction.mp. or item reductions.mp. or agreement.mp. or precision.mp. or imprecision.mp. or precise values.mp. or (test-retest or (test and retest) or (reliab\$ and (test or retest)) or stability or interrater or inter-rater or intrarater or intra-rater or intertester or inter-tester or intratester or intra-tester or interobserver or inter-observer or intraobserver or intra-observer or intertechnician or intertechnician or intratechnician or intra-technician or interexaminer or inter-examiner or intraexaminer or intra-examiner or interassay or inter-assay or intraassay or intra-assay or interindividual or inter-individual or intraindividual or intra-individual or interparticipant or inter-participant or intraparticipant or intra-participant or kappa or kappa\$ or coefficient of variation or repeatab\$ or ((replicap\$ or repeated) and (measure or measures or findings or result or results or test or tests))).mp. or (generaliza\$ or generalisa\$ or concordance or (intraclass and correlation\$) or discriminative or known group or factor analysis or factor analyses or factor structure or factor structures or dimensionality or subscale\$ or multitrait scaling analysis or multitrait scaling analyses or item discriminant or interscale correlation or interscale correlations or ((error or errors) and (measure\$ or correlat\$ or evaluat\$ or accuracy or accurate or precision or mean)) or individual variability or interval variability or rate variability or variability	9071822	C: Measurement properties

	analysis or (uncertainty and (measurement or measuring)) or standard error of measurement or sensitiv\$ or responsive\$ or (limit and detection) or minimal detectable concentration or interpretab\$ or (small\$ and (real or detectable) and (change or difference)) or meaningful change or minimal important change or minimal important difference or minimally important change or minimally important difference or minimal detectable change or minimal detectable difference or minimally detectable change or minimally detectable difference or minimal real change or minimal real difference or minimally real change or minimally real difference).mp. or (ceiling effect or floor effect or Item response model or IRT or Rasch or Differential item functioning or DIF or computer adaptive testing or item bank or cross-cultural equivalence).mp.		
4	(accepta* or "ease o# use" or practica* or feasib*).ti,ab.	1157809	D: Feasibility of PROMs
5	(dermatology life quality index or DLQI or Skindex* or (Hyperhidrosis Disease Severity Scale or HDSS) or Hyperhidrosis Scale or ((Hyperhidrosis Quality adj2 Life Questionnaire) or HQLQ) or ((Hyperhidrosis Quality adj2 Life Index) or HidroQoL) or (Hyperhidrosis impact questionnaire or HHIQ) or (Hyperhidrosis questionnaire or (HQ and Hyperhidrosis)) or (Axillary Sweating Daily Diary or ASDD) or (Hyperhidrosis Disease Severity Measure-Axillary or HDSM-Ax)).ti,ab,kw.	6311	E1: Individual hyperhidrosis-specific PROMs
6	((Amir quality adj2 life questionnaire) or (Freiburg life quality assessment or FLQA) or (Short form 36 or SF-36) or (Short form 12 or SF-12) or (Nottingham health profile or (nhp and (Nottingham or health profile))) or (Illness intrusiveness ratings scale or IIRS) or (Patient benefit index or PBI)).ti,ab,kw.	56001	E2: Individual general PROMs
7	(conference abstract or conference paper or conference review or editorial or erratum or letter or note).pt.	7830583	F: Exclusion filter
8	(english or french or german or italian).lg.	33039740	G: Filter for publication language
9	1 and 2 and (3 or 4)	1179	population AND construct AND (measurement properties OR feasibility)
10	5 and 3	2273	individual hyperhidrosis-specific measurement instruments

			AND measurement properties
11	6 and 1 and 3	27	individual general measurement instruments AND population AND measurement properties
12	9 or 10 or 11	3379	subject based searches
13	12 not 7	1898	(subject based searches) NOT (exclusion filter)
14	13 and 8	1837	((subject based searches) NOT (exclusion filter)) AND language filter

MEDLINE

Database	
Ovid MEDLINE(R) ALL 1946 to June 10, 2021 (medall)	
Platform	
Ovid	
Temporal coverage of Database	
ca. 1946–2021	
Date filter	
No filter	
Standard search filters	
See text.	
Other limits	
Language: English OR French OR German OR Italian	
Date of search	
2021-06-11	
Peer review of search strategy	
No	
Number of records (before deduplication)	
2749	
File(s) with the search strategy/search history as exported from the platform	
MEDLINE_2021-06-11_search-history.txt	
File with the database accession numbers of the records found	
MEDLINE_AN.txt The number of accession numbers in this file (2752) is larger than the number of records found on 2021-06-11. It is the cumulative result of searches in 2020 and 2021. When running the last update search documented here, some records found earlier were not found again. Indexing might have changed or records were no longer present in the database.	

Search history

Ovid MEDLINE(R) ALL <1946 to June 10, 2021>

#	Search string:q!	Records	Remarks
1	exp hyperhidrosis/ or Isaacs Syndrome/ or Harlequin syndrome.rs. or Crisponi syndrome.rs. or hyperhidrosis.ti,ab,kf. or hyperhidroses.ti,ab,kf. or hyperhydrosis.ti,ab,kf. or hyperhydroses.ti,ab,kf. or hyperperspiration.ti,ab,kf. or hyperidrosis.ti,ab,kf. or hyperydrosis.ti,ab,kf. or polyhidrosis.ti,ab,kf. or polyhydrosis.ti,ab,kf. or excessive sweating.ti,ab,kf. or (primary HH or secondary hh).ti,ab,kf. or (sweat* adj3 disorder*).ti,ab,kf. or night sweat*.ti,ab,kf. or nocturnal sweat*.ti,ab,kf. or nocturnal diaphoresis.ti,ab,kf. or gustatory sweating.ti,ab,kf. or auriculotemporal syndrome*.ti,ab,kf. or auriculotemporal nerve syndrome*.ti,ab,kf. or baillarger syndrome*.ti,ab,kf. or ((frey or frey*) adj1 syndrome*).ti,ab,kf. or salivosudoriparous syndrome*.ti,ab,kf. or (Isaac* adj1 Syndrome*).ti,ab,kf. or Myokymia*.ti,ab,kf. or (Continuous Muscle Activity adj1 Syndrome*).ti,ab,kf. or Gamstorp Wohlfart Syndrome*.ti,ab,kf. or Neuromyotonia.ti,ab,kf. or Quantal Squander.ti,ab,kf. or Pseudomyotonia.ti,ab,kf. or Harlequin syndrome*.ti,ab,kf. or Crisponi syndrome*.ti,ab,kf. or Sohar-Crisponi syndrome*.ti,ab,kf. or CNTF receptor-related disorder*.ti,ab,kf. or Cold-induced sweating syndrome*.ti,ab,kf. or ((Facial Nerve Injuries/ or Taste/ or Taste Disorders/ or gustatory.ti,ab,kf.) and (Sweat/ or Sweat Glands/ or Sweating/ or sweat*.ti,ab,kf.))	9802	A: Target population - Hyperhidrosis
2	"Quality of Life"/ or (HR-PRO or HRPRO or qol or QL or hrql or hrqol).ti,ab,kf. or (quality adj2 (life or living)).ti,ab,kf. or exp "Activities of Daily Living"/ or (activit* adj2 (daily adj (life or living))).ti,ab,kf. or "adl".ti,ab,kf. or "chronic limitation o# activity".ti,ab,kf. or "self care".ti,ab,kf. or "Health Status"/ or (health adj2 (status or state or level* or index* or indices or profile*)).ti,ab,kf. or "Patient Reported Outcome Measures"/ or (proms or proms or pro or pros).ti,ab,kf. or ((patient or self or carer or proxy) adj3 (appraisal* or appraised or report or reported or reporting or rated or rating or ratings or based or assessed or assessment or assessments)).ti,ab,kf. or ((disability or function or functional or functions or subjective or utility or utilities or wellbeing or well being) adj3 (outcome or outcomes or index or indices or instrument or instruments or measure or measures or	1600411	B: Construct - Quality of Life

	questionnaire or questionnaires or profile or profiles or scale or scales or score or scores or status or survey or surveys)).ti,ab,kf. or (satisfaction or emotions or life-impact or sexual-impact or functioning or well-being).ti,ab,kf.		
3	(instrumentation or methods).sh. or (Validation Studies or Comparative Study).pt. or exp Psychometrics/ or psychometr*.ti,ab. or (clinimetr* or clinometr*).tw. or exp "Outcome Assessment (Health Care)"/ or outcome assessment.ti,ab. or outcome measure*.tw. or exp Observer Variation/ or observer variation.ti,ab. or exp Health Status Indicators/ or exp "Reproducibility of Results"/ or reproducib*.ti,ab. or exp Discriminant Analysis/ or (reliab* or unreliab* or valid* or coefficient or homogeneity or homogeneous or "internal consistency").ti,ab. or (cronbach* and (alpha or alphas)).ti,ab. or (item and (correlation* or selection* or reduction*)).ti,ab. or (agreement or precision or imprecision or "precise values" or test-retest).ti,ab. or (test and retest).ti,ab. or (reliab* and (test or retest)).ti,ab. or (stability or interrater or inter-rater or intrarater or intra-rater or intertester or inter-tester or intratester or intra-tester or interobserver or inter-observer or intraobserver or intra-observer or intertechnician or inter-technician or intratechnician or intra-technician or interexaminer or inter-examiner or intraexaminer or intra-examiner or interassay or inter-assay or intraassay or intra-assay or interindividual or inter-individual or intraindividual or intra-individual or interparticipant or inter-participant or intraparticipant or intra-participant or kappa or kappa's or kappas or repeatab*).ti,ab. or ((replicab* or repeated) and (measure or measures or findings or result or results or test or tests)).ti,ab. or (generaliza* or generalisa* or concordance).ti,ab. or (intraclass and correlation*).ti,ab. or (discriminative or "known group" or factor analysis or factor analyses or dimension* or subscale*).ti,ab. or (multitrait and scaling and (analysis or analyses)).ti,ab. or (item discriminant or interscale correlation* or error or errors or "individual variability").ti,ab. or (variability and (analysis or values)).ti,ab. or (uncertainty and (measurement or measuring)).ti,ab. or ("standard error of measurement" or sensitiv* or responsive*).ti,ab. or ((minimal or minimally or clinical or clinically) and (important or significant or detectable) and (change or difference)).ti,ab. or (small* and (real or detectable) and (change or difference)).ti,ab. or (meaningful change or "ceiling effect" or "floor effect" or "Item response model" or IRT or Rasch or "Differential item functioning" or DIF or "computer	7895555	C: Measurement properties

	adaptive testing" or "item bank" or "cross-cultural equivalence").ti,ab.		
4	(accepta* or "ease of use" or practica* or feasib*).ti,ab.	875047	D: Feasibility of PROMs
5	(dermatology life quality index or DLQI or Skindex* or (Hyperhidrosis Disease Severity Scale or HDSS) or Hyperhidrosis Scale or ((Hyperhidrosis Quality adj2 Life Questionnaire) or HQLQ) or ((Hyperhidrosis Quality adj2 Life Index) or HidroQoL) or (Hyperhidrosis impact questionnaire or HHIQ) or (Hyperhidrosis questionnaire or (HQ and Hyperhidrosis)) or (Axillary Sweating Daily Diary or ASDD) or (Hyperhidrosis Disease Severity Measure-Axillary or HDSM-Ax)).ti,ab,kf.	3294	E1: Individual hyperhidrosis-specific PROMs
6	((Amir quality adj2 life questionnaire) or (Freiburg life quality assessment or FLQA) or (Short form 36 or SF-36) or (Short form 12 or SF-12) or (Nottingham health profile or (nhp and (Nottingham or health profile))) or (Illness intrusiveness ratings scale or IIRS) or (Patient benefit index or PBI)).ti,ab,kf.	35688	E2: Individual general PROMs
7	("addresses" or "biography" or "case reports" or "comment" or "directory" or "editorial" or "festschrift" or "interview" or "lectures" or "legal cases" or "legislation" or "letter" or "news" or "newspaper article" or "patient education handout" or "popular works" or "congresses" or "consensus development conference" or "consensus development conference, nih" or "practice guideline").pt. or (exp "animals"/ not "humans"/)	9106540	F: Exclusion filter
8	(english or french or german or italian).lg.	29852222	G: Filter for publication language
9	1 and 2 and (3 or 4)	787	population AND construct AND (measurement properties OR feasibility)
10	5 and 3	2207	individual hyperhidrosis-specific measurement instruments AND measurement properties
11	6 and 1 and 3	29	individual general measurement instruments AND population AND measurement properties
12	9 or 10 or 11	2898	subject based searches

13	12 not 7	2804	(subject based searches) NOT (exclusion filter)
14	13 and 8	2749	((subject based searches) NOT (exclusion filter)) AND language filter

Science Citation Index Expanded & Social Sciences Citation Index

Database	
Science Citation Index Expanded (SCI-EXPANDED) & Social Sciences Citation Index (SSCI) Data last updated: 2021-06-11	
Platform	
Web of Science	
Temporal coverage of Database	
Science Citation Index Expanded (SCI-EXPANDED) --1965-present Social Sciences Citation Index (SSCI) --1990-present	
Date filter	
No filter	
Standard search filters	
See text.	
Other limits	
Language: English OR French OR German OR Italian	
Date of search	
2021-06-11	
Peer review of search strategy	
No	
Number of records (before deduplication)	
2061	
File(s) with the search strategy/search history as exported from the platform	
WoS_2021-06-11_search-history_03.PNG WoS_2021-06-11_search-history_04.PNG WoS_2021-06-11_search-history.wos	
File with the database accession numbers of the records found	
WoS_AN.txt The number of accession numbers in this file (2069) is larger than the number of records found on 2021-06-11. It is the cumulative result of searches in 2020 and 2021. When running the last update search documented here, some records found earlier were not found again. Indexing might have changed or records were no longer present in the database.	
Remarks	

The platform did not allow to export the search history as a plain text file. Therefore, the search history is documented in screenshots and a proprietary XML file (*.wos).

Search history

# 13	2,061	(#12) AND LANGUAGE: (English OR French OR German OR Italian) <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 12	2,081	#10 NOT #11 <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 11	123	(#10) AND DOCUMENT TYPES: (Art Exhibit Review OR Biographical-Item OR Correction OR Dance Performance Review OR Editorial Material OR Fiction, Creative Prose OR Film Review OR Hardware Review OR Letter OR Meeting Abstract OR Meeting Summary OR Music Performance Review OR Music Score OR Music Score Review OR News Item OR Poetry OR Proceedings Paper OR TV Review, Radio Review OR TV Review, Radio Review Video OR Theater Review) <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 10	2,204	#7 or #8 or #9 <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 9	24	#6 and #1 and #3 <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 8	1,693	#5 and #3 <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 7	556	#1 and #2 and (#3 or #4) <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 6	39,584	TS=("amir quality" NEAR/1 "life questionnaire") OR TS=("freiburg life quality assessment" OR "flqa") OR TS=("short form 36" OR "sf-36") OR TS=("short form 12" OR "sf-12") OR TS=("nottingham health profile" OR ("nhp" AND ("nottingham" OR "health profile"))) OR TS=("illness intrusiveness ratings scale" OR "iirs") OR TS=("patient benefit index" OR "pbi") <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 5	3,291	TS=("dermatology life quality index" OR "dlqi") OR TS=(skindex) OR TS=("hyperhidrosis disease severity scale" OR "hdss") OR TS=("hyperhidrosis scale") OR TS=("hyperhidrosis quality" NEAR/1 "life questionnaire" OR "hqlq") OR TS=("hyperhidrosis quality" NEAR/1 "life index" OR "hidroqol") OR TS=("hyperhidrosis impact questionnaire" OR "hhiq") OR TS=("hyperhidrosis questionnaire" OR ("hq" AND "hyperhidrosis")) OR TS=("axillary sweating daily diary" OR "asdd") OR TS=("hyperhidrosis disease severity measure-axillary" OR "hdsma-ax") <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 4	1,567,709	TS=(accepta* OR "ease of use" OR practica* OR feasib*) <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 3	11,553,034	(TS=(instruments OR methodology)) OR (TS=(psychometr*)) OR (TS=(clinimetr* OR clinometr*)) OR (TS=("outcome assessment")) OR (TS=("outcome measure*")) OR (TS=("observer variation")) OR (TS=(reproducib*)) OR (TS=(reliab* OR unreliab* OR valid* OR coefficient OR homogeneity OR homogeneous OR "internal consistency")) OR (TS=(cronbach* and (alpha OR alphas))) OR (TS=(item and (correlation* OR selection* OR reduction*))) OR (TS=(agreement OR precision OR imprecision OR "precise values" OR test-retest)) OR (TS=(test and retest)) OR (TS=(reliab* and (test OR retest))) OR (TS=(stability OR interrater OR inter-rater OR intrarater OR intra-rater OR intertester OR inter-tester OR intratester OR intra-tester OR interobserver OR inter-observer OR intraobserver OR intra-observer OR intertechnician OR inter-technician OR intratechnician OR intra-technician OR interexaminer OR inter-examiner OR intraexaminer OR intra-examiner OR interassay OR inter-assay OR intraassay OR intra-assay OR interindividual OR inter-individual OR intraindividual OR intra-individual OR interparticipant OR inter-participant OR intraparticipant OR intra-participant OR kappa OR "kappa's" OR kappas OR repeatab*)) OR (TS=((replicab* OR repeated) and (measure OR measures OR findings OR result OR results OR test OR tests))) OR (TS=(generaliza* OR generalisa* OR concordance)) OR (TS=(intraclass and correlation*)) OR (TS=(discriminative OR "known group" OR "factor analysis" OR "factor analyses" OR dimension* OR subscale*))) OR (TS=(multitrait and scaling and (analysis OR analyses))) OR (TS=("item discriminant" OR "interscale correlation*" OR error OR errors OR "individual variability")) OR (TS=(variability and (analysis OR values))) OR (TS=(uncertainty and (measurement OR measuring))) OR (TS=("standard error of measurement" OR sensitiv* OR responsive*))) OR (TS=((minimal OR minimally OR clinical OR clinically) and (important OR significant OR detectable) and (change OR difference))) OR (TS=(small* and (real OR detectable) and (change OR difference))) OR (TS=("meaningful change" OR "ceiling effect" OR "floor effect" OR "Item response model" OR IRT OR Rasch OR "Differential item functioning" OR DIF OR "computer adaptive testing" OR "item bank" OR "cross-cultural equivalence")) <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 2	5,909,469	(TS=(HR-PRO or HRPOR or qol or QL or hrql or hrqol)) OR (TS=(quality NEAR/1 (life or living))) OR (TS=(activit* NEAR/1 (daily NEAR/0 (life or living)))) OR (TS=("adl")) OR (TS=("chronic limitation of activity")) OR (TS=("self care*")) OR (TS=(health NEAR/1 (status or state or level* or index* or indices or profile*))) OR (TS=(proms or proms or pro or pros)) OR (TS=((patient OR self OR carer OR proxy) NEAR/2 (appraisal* or appraised or report OR reported OR reporting OR rated OR rating OR ratings OR based OR assessed OR assessment OR assessments))) OR (TS=((disability OR function OR functional OR functions OR subjective OR utility OR utilities OR wellbeing OR "well being") NEAR/2 (outcome OR outcomes OR index OR indices OR instrument OR instruments OR measure OR measures OR questionnaire OR questionnaires OR profile OR profiles OR scale OR scales OR score OR scores OR status OR survey OR surveys))) OR (TS=(satisfaction or emotions or life-impact or sexual-impact or functioning or well-being)) <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐
# 1	7,517	TS=("harlequin syndrome") OR TS=("crisponi syndrome") OR TS=("hyperhidrosis") OR TS=("hyperhidroses") OR TS=("hyperhydrosis") OR TS=("hyperhydroses") OR TS=("hyperperspiration") OR TS=("hyperperspiration") OR TS=("hyperhidrosis") OR TS=("hyperydrosis") OR TS=("polyhidrosis") OR TS=("polyhydrosis") OR TS=("excessive sweating") OR TS=("primary hh" OR "secondary hh") OR TS=(sweat* NEAR/2 disorder*) OR TS=("night sweat") OR TS=("nocturnal sweat") OR TS=("nocturnal diaphoresis") OR TS=("gustatory sweating") OR TS=("auriculotemporal syndrome") OR TS=("auriculotemporal nerve syndrome") OR TS=("baillarger syndrome") OR TS(("frey OR" frey") NEAR/0 syndrome*) OR TS=("salvosudoriparous syndrome") OR TS=(isaac* NEAR/0 syndrome*) OR TS=(myokymia*) OR TS=("continuous muscle activity" NEAR/0 syndrome*) OR TS=("gamstorp wohlfart syndrome") OR TS=("neuromyotonia") OR TS=("quantal squander") OR TS=("pseudomyotonia") OR TS=("harlequin syndrome") OR TS=("crisponi syndrome") OR TS=("sohar-crisponi syndrome") OR TS=(cntf receptor-related disorder*) OR TS=("cold-induced sweating syndrome") OR TS=("gustatory" AND sweat*) <i>Indexes=SCI-EXPANDED, SSCI Timespan=All years</i>	Edit	☐	☐